



Successful mite control for greenhouses, outdoor ornamentals, vegetables and fruit.



**INTRODUCING BIOLINE AGROSCIENCES' ANDERLINE RANGE —
EFFECTIVE AND EFFICIENT CONTROL OF TWO-SPOTTED SPIDER MITE, EUROPEAN RED MITE, BROAD MITE, CYCLAMEN MITE AND RUSSET MITE.**

Amblyseius andersoni is a predatory mite that can be used in the control of a range of mite pests. This predatory mite is ideal for vegetables, hardy ornamentals and fruit crops, controlling red or two-spotted spider mite, fruit-tree red spider mite, and russet mites. It is active at lower temperatures than other predatory mites, which means that it can be introduced much earlier in the growing season than some other predators. It is available in the Mini sachet with a hook or the water-resistant Gemini sachet that will tolerate irrigation or rain, so can be used in outdoor crops and over-head irrigated protected crops.

WHY TRY ANDERLINE?

- Treats many types of spider mite and other mite pest.
- For protected or outdoor crops.
- Long lasting mini sachets maintain protection.
- Ideal for fruit trees and soft fruit crops.
- Ideal for deciduous hardy ornamentals.
- Tolerant of temperatures 6°C- 40°C.

**WHICH CROPS DOES
ANDERLINE PROTECT?**

- Pepper
- Aubergine
- Cut flowers
- Courgette
- Apple
- Grapes
- Peach

**WHICH PESTS DOES
ANDERLINE CONTROL?**

- Red spidermite or two-spotted spider mite
- Fruit-tree red spider mite
- Russet mite
- Cyclamen mite

GET TO KNOW ANDERLINE...

1

Amblyseius andersoni occurs naturally throughout Europe, including the UK, Netherlands and North America.






2

They prey on spider mites of various species, but also feed on thrips and russet mites.

3

They may enter diapause in late summer, but are active from early in the season. They also tolerate high temperatures, providing the atmosphere is suitably humid.

Anderline — Successful mite control for greenhouses, outdoor ornamentals, vegetables and fruit.

| | DESCRIPTION | PRODUCT CODE |
|--|--|--|
|  <p>Anderline Gemini Sachets</p> | <p>The Gemini sachet format consists of two joint sachets that can be stood similar to a hinge. This enables the <i>Amblyseius andersoni</i> breeding colony to be water-resistant because the release holes for the mites are inside the folded sachets. This Anderline format is the ideal mite management system for ornamentals and soft fruit crops.</p> | <p>100 sachets: P0016-01</p> |
|  <p>Anderline Mini Sachets</p> | <p>If you're growing vegetables, ornamentals and soft fruit crops, the mini sachet is the best Anderline delivery system for you. You can use the hook on top of the sachet to attach to stems, branches or wires allowing the breeding colony of <i>Amblyseius andersoni</i> to be in prime position to attack the pests before causing harm to your crops.</p> | <p>200 sachets: P0016-31</p> |
|  <p>Anderline 6 x 100m Strips of Sachets Bugline</p> | <p>Specially designed to save eight-hours of manual labour per acre, the Anderline bugline is suited for crops that are grown in beds, rows or on a growing table. Implement the sachet strips on dry crops and place horizontally in the crop in case of overhead watering.</p> | <p>6 x 100 m sachet strips: P0016-05</p> |
|  <p>Anderline Loose Product</p> | <p>If your crops require a fast call to action from <i>Amblyseius andersoni</i> — applying the predatory mite directly via bag or tube will be most effective. This specific form of bio-control delivery allows you to apply concentrated amounts of the mite on small highly infected areas. Re-introduce in three weeks if necessary.</p> | <p>125,000 mites bag: P0016-02 25,000 mites tube: P0016-03</p> |
|  <p>Anderline Anderline stick</p> | <p>Propagation is one of the most critical times for pest management. Mini sachets on a stick are ideal for effective pest prevention and control at this time.</p> | <p>1,000 Sachets on a stick 125 per sachet: P0016-50 200 Sachets on a stick 125 per sachet: P0016-52</p> |

STORAGE AND HANDLING

1. TRANSPORT AND STORE AT 50-59°F/10-15°C AND >65% HUMIDITY.
2. USE WITHIN 18 HOURS OF RECEIPT.
3. AVOID STORING THE PRODUCT UNDER DIRECT SUNLIGHT.
4. DO NOT REFRIGERATE.

HOW AND WHERE TO USE

For Gemini Sachet:

1. Lift each sachet from the box, pinch the join so that the printed face is outwards and drop the sachet over the crop wire, branch or leaf stalk.
2. Use at one per 2-4 metres of crop row.

For Mini Sachet:

1. Hang from crop wire or plant. Do not hang adjacent to heating pipes. Duration of sachet activity is 6 weeks, though longer-lasting control may be evident if the mites establish in the crop.
2. Use at one per 2 metres of crop row.

For Bugline:

1. Distribution of the strips can be done by attaching to the irrigation boom and pulling strips from the box down the greenhouse bay or manually by pulling it into the crop.
2. Make sure the crop and floor are dry when applied. If crop and/or floor are wet, water can enter Bugline through the holes, and could result in some predatory mites within the cells being lost.

For bulk bags:

1. Take tube and sprinkle mites on top of crop that is effected. Or, take the bag and use with blowers to introduce mites to your crop.

 **Bioline**
AgroSciences
www.biolineagrosciences.com

 [Bioline_AS_Int](#)